

SAFETY DATA SHEET

JackHammer PaintKleer™

REVISION DATE: 3/10/2015
VERSION: 1.0

PAGE: 1

SECTION 1 – PRODUCT & COMPANY IDENTIFICATION

COMPANY:
ENVIROLOGIC BIO-BASED TECHNOLOGIES
4901 UMBRIA ST., Philadelphia, PA 19128

24 HOUR EMERGENCY RESPONSE INFORMATION:
EMERGENCY: (866) 678-8888
INFORMATION: (215) 930-0111

PRODUCT: JackHammer PaintKleer™

DESCRIPTION & USE: CLEANER-DEGREASER

SYNONYMS: CLEANER-DEGREASER

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

STATE: LIQUID

ODOR: MILD

COLOR: COLORLESS LIQUID

ROUTES OF ENTRY: SKIN & EYE CONTACT, INHALATION, INGESTION

POTENTIAL HEALTH ACUTE EFFECTS:

POTENTIAL CHRONIC HEALTH EFFECTS: NONE KNOWN

EFFECTS OF OVEREXPOSURE: NONE

INHALATION: IN HIGH CONCENTRATIONS, VAPORS MAY BE IRRITATING

INGESTION: MAY CAUSE MILD TRANSIENT GASTROINTESTINAL IRRITATION.

EYE CONTACT: MAY CAUSE MILD TRANSIENT IRRITATION. NOT CLASSIFIED

SKIN CONTACT: NOT CLASSIFIED AS AN SKIN IRRITANT

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

GENERAL CHEMICAL DESCRIPTION: 100% BIOBASED CLEANER DEGREASER

COMPONENTS:	CAS-NO.	CONCENTRATION (WT. %)
LACTIC ACID, METHYL ESTER BLEND	687-47-8	>25 - <40
FOLDED BOTANICAL OIL	68606-94-0	>25 - <40
BENZYL ALCOHOL	100-51-6	>15 - <30
DIMETHYL-2-METHYL GLUTARATE	140355-94-0	<5

SECTION 4 – FIRST AID MEASURES

AFTER INHALATION: SHOULD NOT CAUSE ANY INHALATION PROBLEMS. IF EXPERIENCED, MOVE TO FRESH AIR

AFTER SKIN CONTACT: SHOULD NOT CAUSE ANY SKIN PROBLEMS. RINSE SKIN WITH PLAIN WATER.
IF PROBLEM PERSISTS SEEK MEDICAL ATTENTION.

AFTER EYE CONTACT: RINSE IMMEDIATELY WITH PLAIN WATER, ALSO UNDER EYELIDS UNTIL IRRITATION SUBSIDES.
IF FURTHER IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

AFTER INGESTION: DO NOT INDUCE VOMITING. VICTIM SHOULD DRINK SEVERAL GLASSES OF WATER TO DILUTE THE
INGESTED PRODUCT. IF VOMITING OCCURS NATURALLY, KEEP AIRWAY CLEAR. IF FURTHER
PROBLEMS OCCUR, SEEK MEDICAL ATTENTION.

SAFETY DATA SHEET
JackHammer PaintKleer™

REVISION DATE: 3/10/2015
VERSION: 1.0

PAGE: 2

SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT:

130° C (266° F)

SUITABLE EXTINGUISHING MEDIA:

ALCOHOL-RESISTANT FOAM, CARBON DIOXIDE, DRY POWDER OR WATER FOG

UNUSUAL FIRE OR EXPLOSION HAZARDS

DOES NOT APPLY TO THIS PRODUCT

HAZARDOUS COMBUSTION PRODUCTS

CARBON OXIDES

ADDITIONAL FIREFIGHTING ADVICE

DOES NOT APPLY TO THIS PRODUCT

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

WEAR APPROPRIATE PERSONAL PROTECTIVE CLOTHING. NO SPECIAL EQUIPMENT NEEDED

ENVIRONMENTAL PRECAUTIONS:

NONE NEEDED

METHODS FOR CLEANING & TAKE -UP

CLEAN WITH WATER. MAY BE RINSED AWAY WITHOUT ANY ENVIRONMENTAL IMPACT.

SECTION 7 – HANDLING & STORAGE

HANDLING:

NO SPECIAL HANDLING IS NEEDED. HANDLE WITH CARE AS WITH ANY LIQUID PRODUCT.

STORAGE:

STORE IN ORIGINAL CONTAINER WITH CAP OR CLOSURE ON TIGHTLY. STORE IN AN AREA THAT DOES NOT EXCEED 130°F. NOR GO BELOW 20°F. FOR BEST PRODUCT EFFECTIVENESS. THE ABOVE IS ONLY FOR THE BEST USE OF PRODUCT & DOES NOT CONSTITUTE A HAZARD IF THE ABOVE IS NOT FOLLOWED

SECTION 8 – EXPOSURE CONTROLS & PERSONAL PROTECTION

INDICATION FOR SYSTEM DESIGN:

NO SPECIAL SYSTEMS NEEDED. ADEQUATE VENTILATION IS SUGGESTED FOR PERSONAL COMFORT.

PERSONAL PROTECTION MEASURES:

NO SPECIAL SYSTEMS NEEDED. USE OF NIOSH/MSHA RESPIRATOR MAY BE USED FOR INDIVIDUAL PERSONAL COMFORT, IF NEEDED, ON AN INDIVIDUAL BASIS.

HAND PROTECTION:

NO SPECIAL SYSTEMS NEEDED. USE OF PLASTIC OR RUBBER GLOVES MAY BE USED FOR INDIVIDUAL PERSONAL COMFORT, IF NEEDED, ON AN INDIVIDUAL BASIS.

EYE PROTECTION:

IT IS RECOMMENDED THAT PROTECTIVE EYEWEAR BE USED IN ORDER TO AVOID PRODUCT CONTACTING EYES. WEAR GOGGLES OR FACE SHIELD

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

GENERAL DESCRIPTION:

STATE: LIQUID
ODOR: MILD
COLOR: WATER WHITE

DESIGNATION

FLASH POINT: 130° C (266° F)
BOILING POINT: 292° F
MELTING POINT: N/A
VAPOR PRESSURE: 2MM/HG: @ 20° C.
SPECIFIC GRAVITY: H₂O=1 0.8815 +/-0.01
SOLUBILITY IN WATER: MISCIBLE

METHOD

NO INFORMATION
NO INFORMATION
NO INFORMATION
NO INFORMATION
NO INFORMATION
NO INFORMATION

SAFETY DATA SHEET
JackHammer PaintKleer™

REVISION DATE: 3/10/2015
VERSION: 1.0

PAGE: 3

SECTION 10 – STABILITY & REACTIVITY

REACTIVITY

MATERIALS TO AVOID:	STRONG OXIDIZING AGENTS
STABILITY:	STABLE
HAZARDOUS POLYMERIZATION:	NONE, WILL NOT OCCUR
HAZARDOUS DECOMPOSITION PRODUCTS:	NONE
CONDITIONS TO AVOID:	EXCESSIVE HEAT.
POSSIBILITY OF HAZARDOUS REACTION:	WILL NOT OCCUR

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE ORAL TOXICITY:	NO TEST DATA AVAILABLE
SKIN IRRITATION:	NOT IRRITATING (EXPERIMENT) METHOD: DRAIZE TEST
EYE IRRITATION:	MODERATELY IRRITATING METHOD: DRAIZE TEST

SECTION 12 – ECOLOGICAL INFORMATION

ACUTE FISH TOXICITY:	NOT EXPECTED TO BE HARMFUL
ACUTE BACTERIAL TOXICITY:	NOT EXPECTED TO BE HARMFUL

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL OF PRODUCT:	THERE ARE NO WASTE DISPOSAL CONSIDERATIONS WITH THIS PRODUCT. USER SHOULD CONSIDER AREAS THAT MAY BE IMPACTED BY THIS PRODUCT WHEN DECIDING ON DISPOSAL METHODS. BECAUSE OF THE NATURE OF THIS PRODUCT, IT MAY BE DISPOSED OF USING THE BEST METHOD TO ENHANCE THE ENVIRONMENT.
----------------------------	--

SECTION 14 - TRANSPORT INFORMATION

GENERAL INFORMATION:	NOT HAZARDOUS. NOT REGULATED ACCORDING TO: RID, ADR, ADNR, IMDG, IATA-DGR, CFR & TDG
----------------------	---

SECTION 15 – REGULATORY INFORMATION

TSCA INVENTORY STATUS:	THIS PRODUCT AND/ OR ALL OF ITS COMPONENTS ARE EITHER INCLUDED ON OR EXEMPT FROM THE TSCA INVENTORY OF CHEMICAL SUBSTANCES.
SARA 311/312 HAZARD CATEGORIES:	NONE.
TSCA 12(b) COMPONENTS:	NONE.
SARA 313 TOXIC CHEMICALS:	NONE.
SARA 302 EXTREMELY HAZARDOUS SUBSTANCES:	NONE.
CERCLA HAZARDOUS CHEMICALS:	NONE.
CALIFORNIA PROPOSITION 65:	NO LISTED CHEMICALS ARE PRESENT.

SAFETY DATA SHEET
JackHammer PaintKleer™

REVISION DATE: 3/10/2015
VERSION: 1.0

PAGE: 4

SECTION 16 – OTHER INFORMATION

NFPA RATING (US)	VALUE
HEALTH	1
FIRE	1
REACTIVITY	0
SPECIAL HAZARD	0

HMIS RATING (US)	VALUE
HEALTH	1
FIRE	1
REACTIVITY	0
SPECIAL HAZARD	0

JackHammer PaintKleer™ IS A REGISTERED TRADEMARK OF ENVIROLOGIC BIO-BASED TECHNOLOGIES, INC.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY ENVIROLOGIC HEREUNDER ARE GIVEN GRATIS AND ENVIROLOGIC ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET

EnviroLogic-SpillAway

4901 Umbria St.

Philadelphia, PA 19128

PHONE: (215) 930-0111

REVISION DATE: 3/10/2015

PREPARED BY: MARK WEINBERG, VICE PRES.